



How to use the UPI QRCode SEPA* Swiss Plugin for custom payment v2022.1

CONTENT

1. Before you start	3
2. Plugin content.....	3
3. The Copyright and the ownership	4
4. Compatibility.....	5
5. Important to know.....	7
6. How works the UPI QRcode SEPA Swiss payment ?	7
7. How to use it?	7
8. How to get a license key?	8
9. How to configure the UPI QRCode SEPA parameters?	10
10. How to configure return URL's parameter?	11
11. How to integrate custom payment into Website?	12
12. How to run payment manually or automatically?	22
13. How to display a progress bar for an automatic payment?	28
14. What happens when an order is OK?	33
15. How to configure the QR Code SEPA Swiss return page into my project to display a single QR Code ?	37
16. How to configure the QR Code SEPA Swiss return page into my project to display an invoice + QR Code ?	40
17. How to configure a dynamic list of QR Code Swiss displaying ?	43
18. Message from the UPIQRCode payment gateway upon the successful payment	47
19. How to use the debug mode?	47
20. How to change the currency of QRCode page?	49
21. How to generate my evaluation key?	50
22. How to do a testing of QR Code SEPA with my scanner ?	51
23. Known issues.....	52
24. More information.....	54



(*) SEPA: Single Euro Payments Area



1. Before you start

Prior to use the plugin you will need to have:

- API key code provided by UPIQRcode
- Secret Key provided by UPIQRcode
- Password provided by UPIQRcode
- License file provided by AF Software.
- Your e-Commerce website ready for custom payment integration

You cannot use the plugin without these files and information !

Sorry but all the screen captures are in French, because it's not possible to change the language on the fly into the WebSite X5 software! I do not want to reinstall the software for each screen capture – and I hope you'll manage to successfully install the plug-in despite the screen-shots not being in English!

2. Plugin content

You can improve your e-Commerce website with this plugin and offer your customers a payment gateway not currently offered by the WebSite X5 Pro made by Incomedia.

You need to unzip files into a directory within the **root of your WSX5 project** on a local hard drive. If your project is here by example: **C:\Website\Projects\Myweb**

By example to unzip all files into a directory:

C:\Website\Projects\Myweb\afs_payments\afs_upiqrcoresepa_ch

After the unzip, you will have the following files:

afs_alertbox.php	--> PHP file for internal functions
afs_config.php	--> Configuration file for customized variables
afs_form.html	--> Form to configure your payment
afs_form_list_displayqrcode.html	--> Form to select QR Code displaying options
afs_functions.js	--> Internal JS functions
afs_functions.php	--> Internal PHP functions
afs_progress_bar.html	--> Example of progress bar coding
afs_qrcodech.php	--> Final file to display payment
afs_upisepach.php	--> Main file to establish connection with the UPI QR Code
img	--> Image directory (containing UPIQRcode payment logo)

Please, do not change any of the filenames! The plugin is using these names and it will not work if you change them!



3. The Copyright and the ownership

This plugin is fully created and customized by AF Software to be connected with the payment gateway from the Incomedia WebSite X5 Pro software which generates your e-Commerce website.

The custom sources of this module for operation with website remain the property of AF Software

This module and its documentation are the property of AF Software . It is prohibited to translate, decompile, modify, adapt and correct it. You may not delete or change your license number and pass it on to the third parties. Rental and loan of the module is prohibited. You cannot dissociate the different elements of the module to use them on several computers. Only the owner of the plug-in is authorized to carry out these operations!

It is forbidden to extract the partial or complete content of the module (copy, re-copy, printing, photos, videos, scan ... etc) to reproduce it in any other format and medium. The entire content is protected by intellectual property French law by article L335-2.

If you do any of the above, your rights of use are automatically terminated and the author can take various legal actions.

You are authorized, for backup purposes only, to make a copy (one copy only!) of the module. You are not authorized to make copies of the paper documentation; if such documentation is provided and / or to print the content.

You are only authorized to install and use the module on one physical station (a single hard drive, screen and keyboard) and this even if during the acquisition of your license, the module was presented on several media (i.e. CD-Rom) and for different operating systems.

This content is protected by intellectual property rights guaranteed by international copyright conventions.

The violation of one of the rights of the author is a crime of counterfeiting sanctioned by article L335-2 into the French law of the code of the intellectual property.



4. Compatibility

This plugin has been developed with:

- **Website PRO v2021.4.5**
- **Payment form UPIQRCode**
- **PHP 7.4.11**

If you are using this plugin in other environment or version of software listed previously (old versions of the Website X5), AF Software will decline any responsibility for its proper-functionality!

In these cases, AF Software could not and would not be held responsible to make it work on outdated software or PHP version nor AF Software could be obligated to fix any of the issues regarding that. In the case of website software update (done by Incomedia) or UPIQRCode package update, AF Software will provide various fixes so the plug-in users could use it normally as before.

If some issues appear after a major update of your WebSite X5 software, AF Software will do its best to fix any newly formed issues. But AF Software cannot provide any absolute guarantee, because AF Software is neither the owner nor business partner of the WebSite X5 – so the AF Software's influence on Website X5 development is non-existing!

Unfortunately, we cannot read into a crystal bowl for the future and what the development of the Website X5 would bring!

This plugin runs only for onetime payment! (full payment in one time, not splitted)

With this plugin you **cannot receive an email with the internet link to download a digital product – so DIGITAL goods should be sold like any other goods!** But the link into the order confirmation email is not sent by the Website X5 software!

The above mentioned is not an issue with this plugin, but an issue with Website X5 software. This **option (automatic download of digital goods upon the purchase) works ONLY with integrated PayPal payment solution and that's it!**

There is **no API or open functions to use this one** with external payment solution!

Type de paiement

Général Coût **Type** Message e-mail

Choisissez une méthode de paiement parmi celles disponibles.

☐ Payer plus tard
Ce type de paiement est effectué par le client à un moment postérieur à la commande (par ex. virement bancaire).


☒ Payer maintenant
Type de paiement : PayPal/Carte de crédit

Compte PayPal :

Page
de confirmation du paiement : Page d'accueil
d'erreur du paiement : Page d'accueil

☐ Exécuter automatiquement la commande après avoir reçu le paiement
☐ La Sandbox est activée (Mode Test)

Cliquez sur l'image ci-contre pour ouvrir gratuitement votre compte sur PayPal : vous pourrez recevoir immédiatement des paiements.



OK Annuler



5. Important to know

This UPI QR Code SEPA Swiss is dedicated for the **Switzerland** market **AND** also for the **Liechtenstein**.

Since June 2020, the QR Bill is a new regulation for **Switzerland** & **Liechtenstein**. More info are here:

[https://fr.wikipedia.org/wiki/QR-facture for **Switzerland**](https://fr.wikipedia.org/wiki/QR-facture_for_Switzerland)

<https://www.bankenverband.li/bankkunden/payments/qr-rechung> for **Liechtenstein**

Payment can be done in EUR or CHF. Other currencies are not supported by this kind of payment.

6. How works the UPI QRcode SEPA Swiss payment ?

The UPI QRcode **SEPA** Swiss payment is **only** a payment via **UPI QR Code transfer** (wire transfer). It is very useful to do important payments or it is another solution to add a new payment into your project.

The payment via **SEPA** can be done in **EURO** or **CHF**. No other currency is supported. It is not a restriction from this plugin, but it is directly from this kind of payment for Switzerland / Liechtenstein

Check at the bottom of this documentation the internet link with more information.

7. How to use it?

You can use this plugin in two (2) different ways:

- Manual redirection by clicking to go to the payment site;
- Automatic redirection after a customizable timeout to go to the payment site.

Automatic redirection is a feature not provided into the Website X5 software!

Please check the documentation on how to activate these two different modes!



8. How to get a license key?

To run this plugin correctly you need to get a license key provided by AF Software. The trial key is completely free of charge and you can generate it yourself from AF Software website.

This option is handy because you can generate your trial license key when you are ready for testing into your environment. The default trial period is 30 days and it will start when you generate your license key file.

Before generating your trial license key, you **need to ask** AF Software to give you the **private code to unlock** the key generator. Please contact us via e-mail to get the private code!

After reception of your private code you can go to:

https://www.afsoftware.fr/afs_keygen/afs_intro.php

to have an access to the key generator.

Please note - your **access code** will **run one time only!**

The layout of the key generator's welcome page is showed below:



Welcome to AF Software Keygen Generator

Please give your private code to have an access !

www.afsoftware.fr

(c) 2014-2019

Please follow the instructions on the screen to generate your key.

If you need more information - consult the chapter "How to generate my evaluation key?"

After the key generation and the downloaded .zip file, do not forget **to rename the downloaded zipped key** file to **afs_licence.key**. That's all to do.

Do not try to unzip the downloaded file! It is not a real zip file - so the unzipping will not work!

DO NOT UNZIP THE FILE!

JUST RENAME IT LIKE DESCRIBED ABOVE!

When you license key file is ready, you just need to copy it into the installation directory of your WSX5 project (on your PC) like in our example directory:

C:\Website\Projects\Myweb\afs_payments\afs_upiqr codesepa_ch\

This file (and others) will be needed for linking all the necessary files with your webshop page! The explanation will follow in the next pages!



9. How to configure the UPI QRCode SEPA parameters?

To run correctly, this plugin needs some parameters from UPIQRCode. The below information are free for testing purpose.

Testing parameters are:

Test environment URL: <https://www.softsysinfo.com/swisstestqrbill>

API Key: jwrzqb

Secret Key: aUHazYga

In production parameters are:

All parameters for production will be given by UPIQRCode.

You need to configure these parameters into **afs_config.php** file and to **replace the below values by yours given by the UPIQRCode payment system!**

Check the **afs_config.php** file to do this. All the below parameters **are mandatory!**

```
/* To configure Merchant informations */
/* Mandatory */
$AFS_API_Key = 'jwrzqb'; /* Parameter given by your UPI QR Code */
$AFS_Secret_Key = 'aUHazYga'; /* Password provided by your UPI QR Code */
$AFS_Ref_Type = "QQR"; /* RefType. values are: QQR or SCOR */
$AFS_Reference_Info = "210000000003139471430009017";
$AFS_Currency = "CHF";

/* Vendor Information */
$AFS_Vendor_Name = "Paul Henry";
$AFS_Vendor_Address1 = "Address 1";
$AFS_Vendor_Address1 = "Address 2";
$AFS_Vendor_PostalCode = "45620";
$AFS_Vendor_City = "Village d'Aube";
$AFS_Vendor_Country = "CH";
$AFS_IBAN = "CH4431999123000889012 ";

/* To configure URL for Payment */
/* Here URL for testing purpose. */
$AFS_API_Url = "https://www.softsysinfo.com/swisstestqrbill"
```



NOTA: Please note that **Switzerland & Liechtenstein** IBAN numbers are **supported** !

Other optional parameters can be configured into the **afs_config.php** file. Documentation is included into the file.

10. How to configure return URL's parameter?

You need also to provide your **return URL's** when your QRCode SEPA Swiss page is displayed, even if you don't use the QRCode SEPA Swiss to pay your order. With these URL's you go back to the website. These URL's are configured into **afs_config.php** file:

There is two kind of Return URL because this kind of payment can display the QR Code into two mode.

- A single QR Code
- A more detailed invoice + QR Code

/* To configure return URL's */

```
$AFS_Return_URL_QRcode = "http://localhost/wsx5demo/afs_sepach_qrcode.html";  
$AFS_Return_URL_Bill = "http://localhost/wsx5demo/afs_sepach_bill.html"
```

You need to **configure** into **afs_config.php** file the **name of your return pages** generated into your project. Please read the chapter on how to create your return HTML pages later in this documentation.

If you decide to use always only one mode, so in this case you just need to configure the Return URL for this mode. Other one will not be used.

And if you decide to offer an option to choose which mode to use to the user, so you need to configure the 2 Return URL's. We will see later into this documentation how to offer the possibility to choose the displaying mode for the payment.

After setting the above - your **afs_config.php** file is ready to be used!



11. How to integrate custom payment into Website?

Configuration is done in two (2) steps to configure the new payment gateway.


1st STEP > configure the payment gateway interface into the e-Commerce cart

2nd STEP > configure the project to upload all the necessary files to your website from the project during export

- **Configuration of the payment gateway**

To be able to add a new custom payment gateway - your e-Commerce project needs to be ready before you can do this step!

Follow the steps below **to go to an e-Commerce cart configuration**



And click on '**Add**' to add a new payment gateway



W5
WebSite X5
pro

Choix du projet

1 Paramètres
2 Modèle
3 Plan
4 Pages
5 Exporter

E-commerce

Paramètres du Site

Produits Gestion Détails client Envoi la commande Options

Liste de types de livraison

Expédition	Description	Prix
Courrier	Les produits seront livrés dans 3-5 jours.	5,00
Livraison express	Les produits seront livrés dans 1-2 jours.	10,00
Livraison International		20,00

Ajouter...
Dupliquer
Supprimer
Modifier...

Liste de types de paiement

Paiement	Description	Prix
Virement bancaire	Payer plus tard par virement bancaire.	0,00
Paiement Carte Bancaire		0,00
Paiement Paypal		0,00
Monetico / Crédit Mutuel	Play with it. We are in a Sandbox... :-)	0,00
AFS DEMO		0,00
Crédit Agricole - No 3D Secure	Play with it. We are in a Sandbox... :-)	0,00
NOT USE - BUGGY - Paiement Monet...		0,00

Ajouter...
Dupliquer
Supprimer
Modifier...

Wsx5.afsoftware.fr

The following window is displayed:



Type de paiement

Général Coût Type Message e-mail

Indiquez le nom, la description et l'image à afficher sur la page du Panier.

Nom :

UPI QR Code Swiss Bill

Description :

Payment via SEPA via wire transfer specific for Switzerland & Liechtenstein
Play with it. We are in a Sandbox

Image :

logo-1-upi-qrcode.png

OK Annuler

Here you need to put the payment name and also to add a payment-icon (picture). Click **OK** to continue.

Next, you need to click on a 'Type' tab.



In this window you **will copy/paste** the **content** of **afs_form.html** file – but **you MUST replace the following code-parameters with your-own parameters first!**

So, open the content of **afs_form.html** and replace the following:

First, replace **ONLY** the part of code **in bold** with your path:

```
<meta charset="UTF-8">
```

```
<form method="post" name="upisepaqrcodech" id="upisepaqrcodech" target="_top"
action="../afs_payments/afs_upiqrcochesepa_ch/afs_upisepach.php">
```

```
<script type="text/javascript">
/* On met le prix sur 2 décimales */
```

```
var m = [PRICE];
montant = m.toFixed(2);
```

```
// On récupère les variables de Website
```

```
reference = "[ORDER_NO]";
email = "[EMAIL]";
name = "[NAME]";
lastname= "[LASTNAME]";
address1 = "[ADDRESS1]";
```



```
city = "[CITY]";  
country = "[COUNTRY]";  
zippostalcode = "[ZIPPOSTALCODE]";  
isocountry = "[COUNTRYCODE]";
```

```
// Bug fixed in v2019.3.14 . Company is retrieved now  
company = "[COMPANY]";
```

```
// On remplit les champs du formulaire ci dessous
```

```
document.getElementById('montant').value = montant;  
document.getElementById('reference').value = reference;  
document.getElementById('email').value = email;  
document.getElementById('name').value = name;  
document.getElementById('lastname').value = lastname;  
document.getElementById('address1').value = address1;  
document.getElementById('country').value = country;  
document.getElementById('city').value = city;  
document.getElementById('zippostalcode').value = zippostalcode;  
document.getElementById('company').value = company;  
document.getElementById('isocountry').value = isocountry;
```

```
// Bug fixed in v2019.3.14 . text works fine  
//document.getElementById('montant').type = 'text';
```

```
// On initialise le cookie avec le No de commande
```

```
document.cookie = 'afs_payment='+ reference + '; path=/';
```

```
</script>
```

```
<input type="image" id="image" href="" src="../../cart/images/logo-1-upi-qrcode.png"  
target=_blank name="clikImage"/>
```

```
<input type='hidden' id='montant' name='montant' size='10'value=''><br><br>  
<input type='hidden' id='company' name='company' size='30'value=''><br><br>  
<input type='hidden' id='reference' name='reference' size='10'value=''><br><br>  
<input type='hidden' id='email' name='email' size='10'value=''><br><br>  
<input type='hidden' id='name' name='name' size='10'value=''><br><br>  
<input type='hidden' id='lastname' name='lastname' size='10'value=''><br><br>  
<input type='hidden' id='address1' name='address1' size='10'value=''><br><br>  
<input type='hidden' id='city' name='city' size='10'value=''><br><br>  
<input type='hidden' id='country' name='country' size='10'value=''><br><br>  
<input type='hidden' id='zippostalcode' name='zippostalcode' size='10'value=''>  
<input type='hidden' id='isocountry' name='isocountry' size='2'value=''>
```

```
</form>
```

Please do not modify any other part of the code!


NOTE: on the following pages – you will get more information on how to customize the afs_form.html even more – so it will be a good thing to SAVE the code so it could be ready for




additional customization. OR, you can do the future customization right in your project webpage as described above (in the custom payment settings options).

- **Configure Website X5 to upload all files on web server during an export**

You need to **add an HTML object** into your e-Commerce page of your project, like below. **You can use any page** of your project (just one page!)- it doesn't matter what would be the page where you will add this HTML object – but it has to be the part of your webshop project!



Open the page of your choice and add the HTML object:




Into the HTML object, click on '**Advanced**' tab and **add all necessary files** which have been unzipped into our example into
C:\Website\Projects\Myweb\afs_payments\afs_upiqrcodesepa_ch

You should add the files **one by one** – thy system doesn't allows adding more files at once!


At minimum, you would need to add all the selected files below:

Nom	Modifié le	Type	Taille
img	15/10/2021 11:41	Dossier de fichiers	
afs_alertbox.php	14/10/2021 15:16	Fichier PHP	36 Ko
afs_config.php	15/10/2021 11:15	Fichier PHP	4 Ko
afs_form.html	15/10/2021 11:43	Chrome HTML D...	3 Ko
afs_functions.js	20/11/2019 16:54	Fichier de script ...	3 Ko
afs_functions.php	08/10/2021 12:30	Fichier PHP	12 Ko
afs_licence.key	08/10/2021 12:32	Inscription dans ...	7 Ko
afs_progress_bar.html	12/08/2020 13:00	Chrome HTML D...	2 Ko
afs_qrcodech.php	15/10/2021 11:35	Fichier PHP	4 Ko
afs_upisepach.php	15/10/2021 00:47	Fichier PHP	22 Ko

Here, all files added here will be sent to the web server during the next export of your project. (if you are using the built-in WSX5 FTP manager!).



When you add your files, take care to **provide the right directory name** for each file like below.
By default the path is 'files'. You need to change it to yours!



After this operation, we recommend that you **refresh your project** by CTRL + Preview (eye icon top right into Website X5 interface)


During the next project upload - all the files will be uploaded to the web server into the chosen directory.

IMPORTANT:

If you change the content of any of the files after **the first upload** (afs_config.php file or any other file from "the bundle"), you will need to "force" Website X5 to re-send your modified file(s) on the next upload!

This is not an issue of the plugin, but it's known WSX5's "bug"! If an export has been done once, the next one **will probably not send** the files again – so the software will not replace any of the modified file(s) on your server with the updated version!

A **good practice is to check on the web server** (via an independent FTP manager) **if the modified file(s) has been correctly** uploaded to your web server!





12. How to run payment manually or automatically?

Below is an explanation on how to run in one of the two modes.

In any case you need to **copy** the code from **afs_form.html** here, and to do change like explained below.

The screenshot shows a dialog box titled "Type de paiement" with three tabs: "Général", "Code", and "Type". The "Type" tab is active. Inside the dialog, there is a section titled "Choisissez une méthode de paiement parmi celles disponibles." with two radio buttons: "Payer plus tard" and "Payer maintenant". The "Payer maintenant" option is selected. Below this, there is a dropdown menu labeled "Type de paiement:" with the value "Code personnalisé". At the bottom, there is a text area labeled "Code HTML pour le bouton 'Payer maintenant':" with a single line of code "1" entered. Red arrows highlight the "Type" tab, the "Payer maintenant" option, the "Code personnalisé" dropdown, and the text area.

- **Manual redirection to the payment site**

In this running mode we are exactly like in any default payment gateway provided by website X5. After an order, the customer needs to click on a button to go to the payment site.

In the case the customer does not click on the button to go to the payment site, she/he will be able to do it so by clicking on the button into the order confirmation email.

Below is a sample of code to copy into the **payment gateway form** (check chapter: How to integrate custom payment into Website) to achieve a manual redirection to the payment site.



Do not forget to change paths by yours like explained into chapter: How to integrate custom payment into Website)

```
<meta charset="UTF-8">

<form method="post" name="upisepaqrcodech" id="upisepaqrcodech" target="_top"
action=" ../afs_payments/afs_upiqrcochesepa_ch/afs_upisepach.php">

<script type="text/javascript">
/* On met le prix sur 2 décimales */

var m = [PRICE];
montant = m.toFixed(2);

// On récupère les variables de Website

reference = "[ORDER_NO]";
email = "[EMAIL]";
name = "[NAME]";
lastname= "[LASTNAME]";
address1 = "[ADDRESS1]";

city = "[CITY]";
country = "[COUNTRY]";
zippostalcode = "[ZIPPOSTALCODE]";
isocountry = "[COUNTRYCODE]";

// Bug fixed in v2019.3.14 . Company is retrieved now
company = "[COMPANY]";

// On remplit les champs du formulaire ci dessous

document.getElementById('montant').value = montant;
document.getElementById('reference').value = reference;
document.getElementById('email').value = email;
document.getElementById('name').value = name;
document.getElementById('lastname').value = lastname;
document.getElementById('address1').value = address1;
document.getElementById('country').value = country;
document.getElementById('city').value = city;
document.getElementById('zippostalcode').value = zippostalcode;
document.getElementById('company').value = company;
document.getElementById('isocountry').value = isocountry;

// Bug fixed in v2019.3.14 . text works fine
//document.getElementById('montant').type = 'text';

// On initialise le cookie avec le No de commande

document.cookie = 'afs_payment='+ reference + '; path=/';

</script>
```



```
<input type="image" id="image" href="" src="../../cart/images/logo-1-upi-qrcode.png"
target=_blank name="clikImage"/>
```

```
<input type='hidden' id='montant' name='montant' size='10'value=''><br><br>
<input type='hidden' id='company' name='company' size='30'value=''><br><br>
<input type='hidden' id='reference' name='reference' size='10'value=''><br><br>
<input type='hidden' id='email' name='email' size='10'value=''><br><br>
<input type='hidden' id='name' name='name' size='10'value=''><br><br>
<input type='hidden' id='lastname' name='lastname' size='10'value=''><br><br>
<input type='hidden' id='address1' name='address1' size='10'value=''><br><br>
<input type='hidden' id='city' name='city' size='10'value=''><br><br>
<input type='hidden' id='country' name='country' size='10'value=''><br><br>
<input type='hidden' id='zippostalcode' name='zippostalcode' size='10'value=''>
<input type='hidden' id='isocountry' name='isocountry' size='2'value=''>

</form>
```

- **Automatic redirection to the payment site (no click on the link needed!)**

In this running mode we change the default Website X5 procedure by adding a javascript code.

This option is very useful because - after the order confirmation page gets displayed to the user - the redirection to the payment site will be done automatically after a customizable timeout-period with no action needed from the user!

With automatic redirection, the customer will continue to receive the order confirmation email with payment information (button to go the payment site).

So, if the customer goes directly to the payment website after his order and execute this payment, payment information (button to go the payment site) into the email will be not useful.

If there is an error with the payment or it got canceled - the button-link which the buyer would receive in the email will not be useful because the payment will be generating an error and so the user would need to re-order the chosen items again from the webshop!

Below is a sample of code to copy into the **payment gateway form** (check chapter: How to integrate custom payment into Website) to have an automatic redirection to the payment site.

Do not forget to change paths by yours like explained in the chapter: How to integrate custom payment into Website)

```
<meta charset="UTF-8">
```

```
<form method="post" name="upisepaqrcodech" id="upisepaqrcodech" target="_top"
action="../../afs_payments/afs_upiqrcoresepa_ch/afs_upisepach.php">
```




```
<script type="text/javascript">
/* On met le prix sur 2 décimales */

var m = [PRICE];
montant = m.toFixed(2);

// On récupère les variables de Website

reference = "[ORDER_NO]";
email = "[EMAIL]";
name = "[NAME]";
lastname= "[LASTNAME]";
address1 = "[ADDRESS1]";

city = "[CITY]";
country = "[COUNTRY]";
zippostalcode = "[ZIPPOSTALCODE]";
isocountry = "[COUNTRYCODE]";

// Bug fixed in v2019.3.14 . Company is retrieved now
company = "[COMPANY]";

// On remplit les champs du formulaire ci dessous

document.getElementById('montant').value = montant;
document.getElementById('reference').value = reference;
document.getElementById('email').value = email;
document.getElementById('name').value = name;
document.getElementById('lastname').value = lastname;
document.getElementById('address1').value = address1;
document.getElementById('country').value = country;
document.getElementById('city').value = city;
document.getElementById('zippostalcode').value = zippostalcode;
document.getElementById('company').value = company;
document.getElementById('isocountry').value = isocountry;

// Bug fixed in v2019.3.14 . text works fine
//document.getElementById('montant').type = 'text';

// On initialise le cookie avec le No de commande

document.cookie = 'afs_payment='+ reference + '; path=/';

</script>

<input type="hidden" id="image" href=" src=" ../cart/images/logo-1-upi-qrcode.png"
target=_blank name="clicImage"/>

<input type='hidden' id='montant' name='montant' size='10'value=''><br><br>
<input type='hidden' id='company' name='company' size='30'value=''><br><br>
<input type='hidden' id='reference' name='reference' size='10'value=''><br><br>
<input type='hidden' id='email' name='email' size='10'value=''><br><br>
<input type='hidden' id='name' name='name' size='10'value=''><br><br>
<input type='hidden' id='lastname' name='lastname' size='10'value=''><br><br>
<input type='hidden' id='address1' name='address1' size='10'value=''><br><br>
<input type='hidden' id='city' name='city' size='10'value=''><br><br>
```



```
<input type='hidden' id='country' name='country' size='10'value=''><br><br>
<input type='hidden' id='zippostalcode' name='zippostalcode' size='10'value=''>
<input type='hidden' id='isocountry' name='isocountry' size='2'value=''>
```

```
</form>
```

```
<script language="javascript">
```

```
    setTimeout(confirmation, 15000);
```

```
function confirmation() {
    document.getElementById(' upisepaqrcodech ').submit();
}
</script>
```

Redirection will be automatic with the above javascript code.

- **Automatic redirection to the payment site with the optional 'click'**

With the previous script you have the possibility to put a picture into the mode type = "**image**" to display it and this will also give you the possibility to 'click' on it before the timeout-period runs-out to go to the payment site.

```
<input type="image" id="image" href="" src="../cart/images/logo-1-UPIQRCode.png"
target=_blank name="clciImage"/>
```

Do not forget to change paths by yours like explained into chapter: How to integrate custom payment into Website)

The full script will be:

```
<meta charset="UTF-8">
```

```
<form method="post" name="upisepaqrcodech" id="upisepaqrcodech" target="_top"
action="../afs_payments/afs_upiqrcoresepa_ch/afs_upisepach.php">
```

```
<script type="text/javascript">
/* On met le prix sur 2 décimales */
```

```
var m = [PRICE];
montant = m.toFixed(2);
```

```
// On récupère les variables de Website
```

```
reference = "[ORDER_NO]";
email = "[EMAIL]";
```



```
name = "[NAME]";  
lastname= "[LASTNAME]";  
address1 = "[ADDRESS1]";
```

```
city = "[CITY]";  
country = "[COUNTRY]";  
zippostalcode = "[ZIPPOSTALCODE]";  
isocountry = "[COUNTRYCODE]";
```

```
// Bug fixed in v2019.3.14 . Company is retrieved now  
company = "[COMPANY]";
```

```
// On remplit les champs du formulaire ci dessous
```

```
document.getElementById('montant').value = montant;  
document.getElementById('reference').value = reference;  
document.getElementById('email').value = email;  
document.getElementById('name').value = name;  
document.getElementById('lastname').value = lastname;  
document.getElementById('address1').value = address1;  
document.getElementById('country').value = country;  
document.getElementById('city').value = city;  
document.getElementById('zippostalcode').value = zippostalcode;  
document.getElementById('company').value = company;  
document.getElementById('isocountry').value = isocountry;
```

```
// Bug fixed in v2019.3.14 . text works fine  
//document.getElementById('montant').type = 'text';
```

```
// On initialise le cookie avec le No de commande
```

```
document.cookie = 'afs_payment='+ reference + '; path=/';
```

```
</script>
```

```
<input type="image" id="image" href=" src="../../cart/images/logo-1-upi-qrcode.png"  
target=_blank name="clicImage"/>
```

```
<input type='hidden' id='montant' name='montant' size='10'value=''><br><br>  
<input type='hidden' id='company' name='company' size='30'value=''><br><br>  
<input type='hidden' id='reference' name='reference' size='10'value=''><br><br>  
<input type='hidden' id='email' name='email' size='10'value=''><br><br>  
<input type='hidden' id='name' name='name' size='10'value=''><br><br>  
<input type='hidden' id='lastname' name='lastname' size='10'value=''><br><br>  
<input type='hidden' id='address1' name='address1' size='10'value=''><br><br>  
<input type='hidden' id='city' name='city' size='10'value=''><br><br>  
<input type='hidden' id='country' name='country' size='10'value=''><br><br>  
<input type='hidden' id='zippostalcode' name='zippostalcode' size='10'value=''>  
<input type='hidden' id='isocountry' name='isocountry' size='2'value=''>
```

```
</form>
```

```
<script language="javascript">
```

```
    setTimeout(confirmation, 15000);
```



```
function confirmation() {  
    document.getElementById(' upisepaqrcodech ').submit();  
}  
</script>
```

In this situation, after presenting with the order confirmation page, the user/buyer could see the message with the explanation of the automatic redirection to the payment gateway (with the progress bar displayed). The buyer/user has the possibility to go to the payment site right away by clicking on the image - without needing to wait for the automatic-redirection!

13. How to display a progress bar for an automatic payment?

A nice feature during an automatic payment is to display a progress bar before to be redirected to the payment site.

Below is an example on how to integrate this option in the **payment gateway form** (check chapter: How to integrate custom payment into Website) .

In this case, the progress bar is configured for 15 seconds time-delay.

NOTE: AF Software **does not support** the changing or further customization of the below script! You need to have the knowledge to change anything.
AF Software could customize the script to your liking for additional fee!

Please do not forget to change paths by yours (bold parts of the script) - like explained into chapter: How to integrate custom payment into Website)

```
<meta charset="UTF-8">
```

```
<form method="post" name="upisepaqrcodech" id="upisepaqrcodech" target="_top"  
action="../afs_payments/afs_upiqrcoresepa_ch/afs_upisepach.php">
```

```
<script type="text/javascript">
```

```
/* On met le prix sur 2 décimales */
```

```
var m = [PRICE];  
montant = m.toFixed(2);
```

```
// On récupère les variables de Website
```

```
reference = "[ORDER_NO]";
```



```
email = "[EMAIL]";  
name = "[NAME]";
```

```
lastname= "[LASTNAME]";  
address1 = "[ADDRESS1]";  
city = "[CITY]";  
country = "[COUNTRY]";  
zippostalcode = "[ZIPPOSTALCODE]";  
isocountry = "[COUNTRYCODE]";
```

```
// Bug fixed in v2019.3.14 . Company is retrieved now  
company = "[COMPANY]";
```

```
// On remplit les champs du formulaire ci dessous
```

```
document.getElementById('montant').value = montant;  
document.getElementById('reference').value = reference;  
document.getElementById('email').value = email;  
document.getElementById('name').value = name;  
document.getElementById('lastname').value = lastname;  
document.getElementById('address1').value = address1;  
document.getElementById('country').value = country;  
document.getElementById('city').value = city;  
document.getElementById('zippostalcode').value = zippostalcode;  
document.getElementById('company').value = company;  
document.getElementById('isocountry').value = isocountry;
```

```
// Bug fixed in v2019.3.14 . text works fine  
//document.getElementById('montant').type = 'text';
```

```
// On initialise le cookie avec le No de commande
```

```
document.cookie = 'afs_payment='+ reference + '; path=/';
```

```
</script>
```

```
<input type="image" id="image" href="" src="../../cart/images/logo-1-upi-qr.png"  
target=_blank name="cliqueImage"/>
```

```
<!-- BEGIN for progress bar for 10s -->  
<!--
```

You change the number of second of the progress bar by changing the ratio variable only

```
<script>  
var ratio = 1; /* 10 s by default  
var ratio = 3; /* for 30 s  
var ratio = 0.5; /* for 5 s  
-->
```

```
<style>
```

```
#progressbar  
{
```



```
width:100px;
padding:1px;
background-color:white;
border:1px solid grey;
height:10px;
text-align: center;
margin-left:auto;
margin-right:auto;
}
#indicator
{
width:0px;
background-color:#cc0000;
height:10px;
margin:0;
}
</style>
```

```
<script>
// To change the number of seconds change ratio value
var ratio = 1; // 10 s by default

var maxprogress = 100 * ratio;
var actualprogress = 0;
var itv = 0;

function prog()
{
if(actualprogress >= maxprogress / ratio )
{
clearInterval(itv);
return;
}

actualprogress += 1 / ratio;
indicator.style.width=actualprogress + "px";
if(actualprogress == maxprogress) clearInterval(itv);
}

</script>
```

```
<div id="pwidget">
<div id="progressbar">
<div id="indicator">
</div>
</div>
</div>

<script>
setInterval(prog, 100);
</script>
```

```
<!-- END of progress bar code for 15s -->
```



```
<input type='hidden' id='montant' name='montant' size='10'value=''><br><br>
<input type='hidden' id='company' name='company' size='30'value=''><br><br>

<input type='hidden' id='reference' name='reference' size='10'value=''><br><br>
<input type='hidden' id='email' name='email' size='10'value=''><br><br>
<input type='hidden' id='name' name='name' size='10'value=''><br><br>
<input type='hidden' id='lastname' name='lastname' size='10'value=''><br><br>
<input type='hidden' id='address1' name='address1' size='10'value=''><br><br>
<input type='hidden' id='city' name='city' size='10'value=''><br><br>
<input type='hidden' id='country' name='country' size='10'value=''><br><br>
<input type='hidden' id='zippostalcode' name='zippostalcode' size='10'value=''>
<input type='hidden' id='isocountry' name='isocountry' size='2'value=''>

</form>

<script language="javascript">
    setTimeout(confirmation, 15000);

function confirmation() {
    document.getElementById('upisepaqrcodech').submit();
}

</script>
```

And the progress bar will be also displayed into your order confirmation:



Numéro de commande:	Date de la commande:	Total:
211006-FY67	Mer 06 Oct 2021	27.00 €

UPI QR code Payment - via Mobile app (only for India)



Bonjour,

Nous vous remercions de votre commande.

Rester sur cette page car vous allez être **redirigé automatiquement vers le site du paiement** dans 15 secondes.
Ou cliquez sur l'image ci dessous !

Dès réception de votre paiement, votre commande sera traitée.

Vous pouvez nous contacter sur info@afsoftware.fr





Cordialement
Toute l'équipe





14. What happens when an order is OK?

If you have properly configured your payment gateway, the next explains the events upon the successful payment via UPIQRCode:

<input type="radio"/>		ThePay Payment Play with it. We are in a Sandbox	0.00 €
<input type="radio"/>		UPI QR code Payment - via Mobile app (only for India) Play with it. We are in a Sandbox	0.00 €
<input type="radio"/>		UPI QR code SEPA Payment Payment only via SEPA wire transfer (supported into 36 countries) Play with it. We are in a Sandbox	0.00 €
<input checked="" type="radio"/>		UPI QR Code Swiss Bill Payment via SEPA via wire transfer specific for Switzerland & Liechtenstein Play with it. We are in a Sandbox	0.00 €

And when this order is finished:



Numéro de commande:	Date de la commande:	Total:
211006-YJ06	Mer 06 Oct 2021	27.00 €

UPI QR code Payment - via Mobile app (only for India)



Bonjour,

Nous vous remercions de votre commande.

Rester sur cette page car vous allez être **redirigé automatiquement vers le site du paiement** dans 15 secondes.
Ou cliquez sur l'image ci dessous !

Dès réception de votre paiement, votre commande sera traitée.

Vous pouvez nous contacter sur info@afsoftware.fr

Cordialement
Toute l'équipe



By clicking on the image you'll go directly to the payment page to finalize your payment and order. You can see on the image below that your order ID and the price and other information are retrieved to generate the QR Code for the payment.




UPI QRcode SEPA Swiss Generated by AF Software plugin

Here your QRcode SEPA Swiss to pay by transfer. Scan it please !

This UPI QRcode SEPA Swiss works also with



And if you scan this QRCode with your mobile application, you will get the order information like below, ready to go to the payment.



**SPC
0200
1
CH4431999123000889012
S
Paul Henry
6200 Route de l'amitié
Chemin des loups
45620
Village d'Aube
CH**

**155.00
CHF
S
Axelle FALCK
4 av d'Éparges de la Résistance,
Résidence Verte Futaie Bat 1**

Here we can read into this QR Code:

- Beneficiary / Vendor name
- IBAN
- Amount in Euros or Swiss Francs
- Customer name
- Amount




- IBAN
- Adresses
- ...etc...

15. How to configure the QR Code SEPA Swiss return page into my project to display a single QR Code ?


By default the QR Code displaying is configured to display a single QR Code. This one can be changed into the **afs_config.php** file. The parameter into the afs_config.php file to display a single QR Code is:

\$AFS_Payslip = "no";

To **display the QRCode SEPA Swiss** into your project, you need to create a page inside your project like below and do not forget to hide this page.



You need to add a HTML object inside you page:



Open your HTML object and copy this code:

```
<style>
/* To center text */
```

```
section#afsoftware
{
    text-align: center; /* Ajouté par AFS */
    margin-left:auto; /* Ajouté par AFS */
    margin-right:auto; /* Ajouté par AFS */
}
</style>
```

```
<section id="afsoftware">
```

```
    <br><br>
    <h1><b><font color=#cc0000>UPI QRcode SEPA Swiss Generated by AF Software
    plugin</font></b></h1>
    <br><br>
    <b>Here your QRcode SEPA Swiss to pay by transfer. Scan it please !</b>
    <br><br>
    <b>This UPI QRcode SEPA Swiss works also with</b> <span
    class="blinkingblue2"><b>liechtenstein</span></b>
    <br><br><br><br>
```



<!-- You need here to use the image name configured into your afs_config.php file and to add the path-->

</section>

You need to configure this return page into your **afs_config.php** file with your page name and project URL, like below:

\$AFS_Return_URL_QRcode = "http://localhost/wsx5demo/afs_sepach_qrcode.html";

If everything is OK during your payment, the following page will be displayed:



UPI QRcode SEPA Swiss Generated by AF Software plugin

Here your QRcode SEPA Swiss to pay by transfer. Scan it please !

This UPI QRcode SEPA Swiss works also with



You can change the content of this HTML object, but it is not supported by AF Software.




16. How to configure the QR Code SEPA Swiss return page into my project to display an invoice + QR Code ?


This other mode to display the result for the payment is to display a detailed invoice with the QR Code Swiss inside the document. This one can be changed into the **afs_config.php** file. The parameter into the afs_config.php file to display a detailed invoice + QR Code is:

\$AFS_Payslip = "yes";

To **display the detailed invoice + QRCode SEPA Swiss** into your project, you need to create a page inside your project like below and do not forget to hide this page.



You need to add a HTML object inside you page:



Open your HTML object and copy this code:

```
<style>
/* To center text */
```

```
section#afsoftware
{
    text-align: center; /* Ajouté par AFS */
    margin-left:auto; /* Ajouté par AFS */
    margin-right:auto; /* Ajouté par AFS */
}
</style>
```

```
<section id="afsoftware">
```

```
    <br><br>
<h1><b><font color=#cc0000>UPI Qrcode SEPA Swiss Bill Generated by AF Software
plugin</font></b> </h1>
    <br><br>
    <b>Here your Qrcode SEPA Swiss Bill to pay by transfer. Scan it please !</b>
    <br><br>
    <b>This UPI Qrcode SEPA Swiss Bill works also with</b> <span
class="blinkingblue2"><b>liechtenstein</span></b>
    <br><br><br><br>
```



<!-- You need here to use the image name configured into your afs_config.php file and to add the path-->

</section>

Nota: Here you need to set the good values for the **width** and **height** of your image to have a good display of your **detailed invoice + QRCode SEPA Swiss** into your page.

You need to configure this return page into your **afs_config.php** file with your page name and project URL, like below:

\$AFS_Return_URL_Bill = "http://localhost/wsx5demo/afs_sepach_bill.html";


If everything is OK during your payment, the following page will be displayed:



UPI QRcode SEPA Swiss Bill Generated by AF Software plugin

Here your QRcode SEPA Swiss Bill to pay by transfer. Scan it please !

This UPI QRcode SEPA Swiss Bill works also with [liechtenstein](#)



You can change the content of this HTML object, but it is not supported by AF Software.



17. How to configure a dynamic list of QR Code Swiss displaying ?


Previously, we have just seen how to **display** a **single QR Code** Swiss or a **detailed invoice + QR Code Swiss** by choosing the option into the afs_config.php file:

\$AFS_Payslip = "no" or **\$AFS_Payslip = "yes"**

In this section we will see how to add an option to choose dynamically the kind of displaying before to display the result.

And the option will be displayed like this into your browser.


Please, choose between to display **simple QR Code** or **QR Code + invoice**



You need here to configure into your **afs_config.php** file the **2 Return URL's** which are used in function of the user choice like below:

```
/* To configure return URL's from QRCode page */  
$AFS_Return_URL_QRcode = "http://localhost/wsx5demo/afs_sepach_qrcode.html";  
$AFS_Return_URL_Bill = "http://localhost/wsx5demo/afs_sepach_bill.html";
```

You need also to have your 2 pages created into your project, like explained previously into this documentation.



Now to have the a list displayed to offer the option to choose the displaying you need to add this HTML code into your payment form.

<!-- To choose displaying -->

<center>

Please, choose between to display **simple QR Code or **QR Code + invoice****

**

**

<select name="qrcodedisplay" id="qrcodedisplay">

<option value="qrcodebill">QR Code + invoice</option>

<option value="qrcodeonly">QR Code</option>

</select>

**

**

</center>

Like you offer the choice to choose into a list with this code, it is not necessary now to use into your code an automatic redirection to the payment and to leave time to the user to choose the option.

So we not use the loading bar and timer script into this code like explained into this documentation previously.



So now our code to display the list is:

```
<meta charset="UTF-8">

<form method="post" name="upisepaqrcodech" id="upisepaqrcodech" target="_top"
action=" ../afs_payments/afs_upiqrcodesepa_ch/afs_upisepach.php">

<script type="text/javascript">
/* On met le prix sur 2 décimales */

var m = [PRICE];
montant = m.toFixed(2);

// On récupère les variables de Website

reference = "[ORDER_NO]";
email = "[EMAIL]";
name = "[NAME]";

lastname= "[LASTNAME]";
address1 = "[ADDRESS1]";
city = "[CITY]";
country = "[COUNTRY]";
zippostalcode = "[ZIPPOSTALCODE]";
isocountry = "[COUNTRYCODE]";

// Bug fixed in v2019.3.14 . Company is retrieved now
company = "[COMPANY]";

// On remplit les champs du formulaire ci dessous

document.getElementById('montant').value = montant;
document.getElementById('reference').value = reference;
document.getElementById('email').value = email;
document.getElementById('name').value = name;
document.getElementById('lastname').value = lastname;
document.getElementById('address1').value = address1;
document.getElementById('country').value = country;
document.getElementById('city').value = city;
document.getElementById('zippostalcode').value = zippostalcode;
document.getElementById('company').value = company;
document.getElementById('isocountry').value = isocountry;

// Bug fixed in v2019.3.14 . text works fine
//document.getElementById('montant').type = 'text';

// On initialise le cookie avec le No de commande

document.cookie = 'afs_payment='+ reference + '; path=/';

</script>

<!-- To choose displaying -->
<center>
Please, choose between to display <b>simple QR Code</b> or <b>QR Code +
invoice</b>
<br><br><br>
```



```
<select name="qrcodedisplay" id="qrcodedisplay">
<option value="qrcodebill">QR Code + invoice</option>
<option value="qrcodeonly">QR Code</option>
</select>
<br><br><br>
</center>
```

```
<input type="image" id="image" href="" src="../../cart/images/logo-1-upi-qrcode.png"
target=_blank name="clikImage"/>
```

```
<input type='hidden' id='montant' name='montant' size='10'value=''><br><br>
<input type='hidden' id='company' name='company' size='30'value=''><br><br>
```

```
<input type='hidden' id='reference' name='reference' size='10'value=''><br><br>
<input type='hidden' id='email' name='email' size='10'value=''><br><br>
<input type='hidden' id='name' name='name' size='10'value=''><br><br>
<input type='hidden' id='lastname' name='lastname' size='10'value=''><br><br>
<input type='hidden' id='address1' name='address1' size='10'value=''><br><br>
<input type='hidden' id='city' name='city' size='10'value=''><br><br>
<input type='hidden' id='country' name='country' size='10'value=''><br><br>
<input type='hidden' id='zippostalcode' name='zippostalcode' size='10'value=''>
<input type='hidden' id='isocountry' name='isocountry' size='2'value=''>
```

```
</form>
```

By using this list option, the parameter to choose the kind of displaying into **af_config.php** file is not used anymore.

\$AFS_Payslip = "no";

So his value is not important and will be passed by the plugin.

And now, the return page displayed will be in function of your choice into the selection list.



18. Message from the UPIQRCode payment gateway upon the successful payment

Into testing mode, no email is sent.

19. How to use the debug mode?

You can use the Debug mode for technical purposes and issues. AF Software will help you on this in the case of any problem with the plugin.

To activate the debug mode you need to change the **\$AFS_Debug** variable into **afs_config.php** file

```
/* For testing/Debug purpose ONLY */          /* = 1 for debug or = 0 for production */  
$AFS_Debug = '1';
```

By using this mode some new information will be displayed on the page. And to continue it is mandatory to click on the button at the bottom of the page to go to the QRCode page generation.

All parameters necessary to do the payment will be here, for checking and debugging (see below):



UPI QRCode SEPA CH plugin: v2021.1

(c) www.afsoftware.fr

Debug mode = ON

Licence: FULL

Expiration date: 20220429

Lic option 1: OK

Transactions Parameters

API Key
Secret Key
Country code
IBAN

Order Parameters

Amount
Customer Name
Address 1
Address 1 (encoded)
Address 2
Address 2 (encoded)
Postal Code
City
Country code

Optional parameters

Additional infos
Billing infos
Optional scheme 1
Optional scheme 2
Website name

Other Infos

API URL Bank
API constructed URL


QR Code image name
QR Code size
PaySlip
Width invoice ratio
Height invoice ratio
QR Code display
URL Return

You will receive also this screen is your browser if you are into debug mode when your QRCode will be generated by clicking on the button 'Go to Pay'.



Debug Mode: ON

<https://www.upigrcode.com/swisstestqrbill/?apikey=jwrzqb&seckey=aUHazYga&CRiban=CH4431999123000889012&CRname=Paul+Henry&CRadd1=6200+Route+de+l'ami+ti%C3%A9+des+loups&CRadd2=Chemin+des+loups&CRPostCode=45620&CRcity=Village+50564&billInfo=Billing+informations+here&othpaysch1=Name+AV1%3A+UV%3BUltraPay005%3B12345&othpaysch2=Name+AV2%3A+XY%3BXYService%3B54321&payslip=yes&output=image&website=www.>

Receipt		Payment part		Account / Payable to	
Account / Payable to CH44 3199 9123 0008 8901 2 Paul Henry 6200 Route de l'amitié, Chemin des loups 45620, Village d'Aube, CH				CH44 3199 9123 0008 8901 2	
Reference 21 00000 00003 13947 14300 09017				Paul Henry 6200 Route de l'amitié, Chemin des loups 45620, Village d'Aube, CH	
Payable by Axelle FALCK 4 av déportées de la résistance, Résidence Verte Futaie Bat 1 13100, Aix en Provence, FR				Reference 21 00000 00003 13947 14300 09017	
Currency CHF		Amount 27.00		Additional information Order No: AFS -21-50564 Billing informations here	
Acceptance point				Payable by Axelle FALCK 4 av déportées de la résistance, Résidence Verte Futaie Bat 1, 13100, Aix en Provence, FR	

When the debugging process is over, do not forget to change the settings of the debugging mode into **afs_config.php** file!

20. How to change the currency of QRCode page?

The currency can be changed into afs_config.php file, with this parameter:

\$AFS_Currency = "CHF";

Values available are CHF or EUR. No other currencies are supported by this kind of payment. It is a restriction from this regulation and not from the plugin.



21. How to generate my evaluation key?

After the reception of your private code - you can unlock the key generator to create your evaluation key file. Useful parameters are below.



Welcome to AF Software Keygen Generator

You are in User mode

All fields are mandatory !

Expiration Date (Default 30 days):

Website Name:

Company code (delivered by the bank):

Company code - (to check it) :

Company Name:

Email Contact:

- 1 - Your website name (www.mywebname.com) where the plug-in will be installed
- 2 - **Merchant ID** or **company code** provided by the UPIQRCode (The secret key received by UPIQRCode is not used here)
- 3 - Insert it again for the verification purposes (Merchant ID or company code provided by the Borgun /Securepay)
- 4 - Company name
- 5 - Contact email

All fields are mandatory to generate your license key file!



22. How to do a testing of QR Code SEPA with my scanner ?

You can check here if your scanner reads correctly a QR Code SEPA, by scanning this QR Code.



If you read correctly this QR Code, you must have

- Beneficiary: Red Cross
- Amount: 1 Euro



23. Known issues

- **Bad characters displayed into the detailed invoice + QR Code Swiss**

Your displaying of detailed invoice + QR Code Swiss, has some bad characters into the result like below:

The screenshot shows a document divided into three main sections: Receipt, Payment part, and Account / Payable to. Red arrows point to specific areas where bad characters are visible.

Receipt

Account / Payable to
CH44 3199 9123 0008 8901 2
Paul Henry
6200 Route de l'amiti  , Chemin des loups
45620, Village d'Aube, CH

Reference
21 00000 00003 13947 14300 09017

Payable by
Axelle FALCK
4 av d  portes de la r  sistance,
13100, Aix en Provence, FR

Currency: CHF, Amount: 65.90

Acceptance point

Payment part

www.upiqr.com

Account / Payable to
CH44 3199 9123 0008 8901 2
Paul Henry
6200 Route de l'amiti  , Chemin des loups
45620, Village d'Aube, CH

Reference
21 00000 00003 13947 14300 09017

Additional information
Order No: AFS -21-24286
Billing informations here

Payable by
Axelle FALCK
4 av d  portes de la r  sistance,
13100, Aix en Provence, FR

Currency: CHF, Amount: 65.90

Generally this issue is to fixed if you change into afs_config.php file the parameter:

\$AFS_UTF8_Encoding = "No";

Values are **yes** or **no**

Follow this explanation and check if your setting is correct.

- Switch into the debug mode
- Do a normal action to go to the payment
- The debug page will be displayed

Go to the bottom of your first debug page and it will display the following parameters to debug.



Debug UTF8 Encoding

Debug Encoding UTF8	<input type="text" value="yes"/>
Clear Text OK	<input type="text" value="l'été est là"/>
Good Encoding	<input type="text" value="l%27%C3%A9t%C3%A9+est+l%C3%A0"/>
Encoding Now	<input type="text" value="l%27%C3%83%C2%A9t%C3%83%C2%A9+est+l%C3%83%C2%A9"/>

- **Debug Encoding UTF8** is the value read into your afs_config.php file.
- **Clear Text OK** is the good string inside the plugin to do our test. You cannot change this one.
- **Good Encoding** is the good waiting result of the string encoding of Clear Text OK string
- **Encoding Now** is the result of the string encoding done just now on your web server.

If the **result** between **Good Encoding** and **Encoding Now** is **not the same**, there is an issue with encoding function with the webserver.

So try to change the value of the parameter into afs_config.php file.

\$AFS_UTF8_Encoding = "No";

And check again with the debug mode. Your result should be:

Debug UTF8 Encoding

Debug Encoding UTF8	<input type="text" value="no"/>
Clear Text OK	<input type="text" value="l'été est là"/>
Good Encoding	<input type="text" value="l%27%C3%A9t%C3%A9+est+l%C3%A0"/>
Encoding Now	<input type="text" value="l%27%C3%A9t%C3%A9+est+l%C3%A0"/>

Everything is ok now.

When the debugging process is over, do not forget to change the settings of the debugging mode into **afs_config.php** file!



To be a little bit more technical, this issue appears if the header of your web page does not invoke this code on the top of your web page into the code source.

<meta charset="utf-8" />

Generally any web created by Website X5, has this setting. So it is why this parameter needs to be at 'no'.

\$AFS_UTF8_Encoding = "No";

24. More information

You can get more information directly from the payment-provider site on the URL below:

<https://www.upiqrcode.com/swiss-qr-api>

<https://fr.wikipedia.org/wiki/QR-facture> for Switzerland

<https://www.bankenverband.li/bankkunden/payments/qr-rechung> for Liechtenstein