


This code is not from AF Software but has been integrated into WSX5 to show how to use it.

No support will be provided by AF Software for your personal integration.

1) Unzip the file into a directory into your project like: **afs-demo/database**


Directory listing will be:



2) Use to afs_demo_employees.sql to create a your table into your database.

3) Into **preview mode the code does not works...** Need to export the project because the pages are in PHP and PHP is running from server side !

Into preview mode you will have:



To have this Simple View

Simple database displaying !

Displaying and more details

Title & Buttons

Displaying & Pictures

Displaying & Skill bars

ID Employee	Name	Last name	Age	Affiliation Date	Status	Active	Salary	Work days
2	Jennifer	Aniston	23	22/10/2004	Single	No	€ 3,500.00	0
3	Michael	Norman	19	10/01/2007	Single	Yes	€ 1,200.00	5
4	Vanessa	brigman	31	05/11/2000	Single	Yes	€ 6,500.00	30
5	Michael	Strauss	45	21/10/2006	Married	No	€ 3,200.00	22
6	William		21	10/03/2001	Divorced	Yes	€ 2,500.00	10

displaying rows 1 to 5 of 5

www.afsoftware.fr

- Create a new page
- Change the page extension to PHP like:

Extension du fichier créé :

Paramètres Plan du site

☒ Ajouter cette page au plan du site

Priorité des contenus :

Fréquence de mise à jour :

Add a HTML object and add this code into HTML tab

```
<?php
```

```
include ("afs-demo/database/phpmydatagrid.class.php");  
include ("afs-demo/dbconnection.php");
```

```

$objGrid = new datagrid;

/* HTML Output will have Line Breaks on each line generated */
$objGrid -> friendlyHTML();

/* Define path for images */
$objGrid -> pathtoimages("afs-demo/database/images/");

/* For compatibility with XHTML pages, some tags like IMG and INPUT
   must be closed with a Slash "/" by using this function you can
   define if tags will be or not closed. (If the function is not
   invoked, by default the script will close tags) */

$objGrid -> closeTags(true);
$objGrid -> form('employee', true);

/* Connect with the database */
$objGrid -> conectadb($servername, $username, $password, $dbname);

/* Select the table to use */
$objGrid -> tabla ("afs_demo_employees");

/* Define fields to show, defining the MASK parameter */
/* id = Integer, no decimals */
$objGrid -> FormatColumn("id", "ID Employee", 5, 5, 1, "50", "center", "integer");
/* name = String, is the mask by default, then no masking required */
$objGrid -> FormatColumn("name", "Name", 30, 30, 0, "150", "left");
/* lastname = String, is the mask by default, then no masking required */
$objGrid -> FormatColumn("lastname", "Last name", 30, 30, 0, "150", "left");
/* age = Integer, no decimals */

```

```

$objGrid -> FormatColumn("age", "Age", 5, 5, 0, "50", "right");

/* afiliation = Date, display data in day-month-year format spaced by slashes "/" */
$objGrid -> FormatColumn("afiliation", "Afiliation Date", 10, 10, 0, "100", "center",
"date:dmy:");

/* Status, select option from menu

1 = Single
2 = Married
3 = Divorced */

$objGrid -> FormatColumn("status", "Status", 5, 5, 0, "60", "left",
"select:1_Single:2_Married:3_Divorced");

/* active, checkbox (Yes/No) */

$objGrid -> FormatColumn("active", "Active", 2, 2, 0, "50", "center", "check:No:Yes");

/* salary, Money format */

$objGrid -> FormatColumn("salary", "Salary", 10, 10, 0, "90", "right", "money:&euro;");

/* workeddays, integer */

$objGrid -> FormatColumn("workeddays", "Work days", 5, 2, 0, "50", "center", "integer");

$objGrid -> setHeader();

?>

<?php

$objGrid -> grid();

$objGrid -> desconectar();

?>

```

- In the '**Advanced**' tab of your HTML object add ALL files where files have been unzipped

Objet de code HTML

Création de la page | AFS-Demo | SQL | DB-1

Code HTML

Avancées

Code CSS

1

Fichiers associés au code HTML

Fichier associé	Chemin d'accès au serveur
1.jpg	afs-demo/database/images/sample
3.jpg	afs-demo/database/images/sample
4.jpg	afs-demo/database/images/sample
6.jpg	afs-demo/database/images/sample
7.jpg	afs-demo/database/images/sample
add.png	afs-demo/database/images

Take care about the path for each file.

Télécharger le fichier associé

Fichier lié à télécharger sur le serveur :

add.png

Chemin d'accès au serveur :

afs-demo/database/images

☐ Créer un lien avec le fichier (fichiers .js et .css seulement)

Le code pour les fichiers .js et .css sera automatiquement ajouté à la section HEAD.

- Do not forget to change DB parameters into db_connect.php file and also code into PHP if you want.

Please investigate code before to do something and understanding..

To have this Displaying & More details View

Displaying and more details !

Simple displaying Title & Buttons Displaying & Pictures Displaying & Skill bars

ID Employee	Name	Last name	Age	Afiliation Date	Status	Active	Salary	Work days
2	Jennifer	Aniston	23	22/10/2004	Single	No	€ 3.500,00	0
3	Michael	Norman	19	10/01/2007	Single	Yes	€ 1.200,00	5
4	Vanessa	brigman	31	05/11/2000	Single	Yes	€ 6.500,00	30
5	Michael	Strauss	45	21/10/2006	Married	No	€ 3.200,00	22
6	William		21	10/03/2001	Divorced	Yes	€ 2.500,00	10
							€ 16.900,00	67

Displaying rows 1 to 5 of 5

www.afsoftware.fr

- Create a new page
- Change the page extension to PHP like:

Extension du fichier créé :

Paramètres Plan du site

☒ Ajouter cette page au plan du site

Priorité des contenus :

Fréquence de mise à jour :

Add a HTML object and add this code into HTML tab

```
<?php /*
```

Copyright (c) 2007, Gurú Sistemas and/or Gustavo Adolfo Arcila Trujillo

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

- * Neither the name of the Gurú Sistemas Intl nor Gustavo Adolfo Arcila Trujillo nor the names of its contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Please remember donating is one way to show your support, copy and paste in your internet browser the following link to make your donation

https://www.paypal.com/cgi-bin/webscr?cmd=_xclick&business=tavoarcila%40gmail%2ecom&item_name=phpMyDataGrid%202007&no_shipping=0&no_note=1&tax=0¤cy_code=USD&lc=US&bn=PP%2dDonationsBF&charset=UTF%2d8

For more info, samples, tips, screenshots, help, contact, forum, please visit phpMyDataGrid site

<http://www.gurusistemas.com/indexdatagrid.php>

For contact author: tavoarcila at gmail dot com or info at gurusistemas dot com

```
*/ ?>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
```

```
<title>phpMyDatagrid - Sample file</title>
```

```
<?php
```

```
include ("afs-demo/database/phpmydatagrid.class.php");
```

```
include ("afs-demo/dbconnection.php");
```

```
$objGrid = new datagrid;
```

```
$objGrid -> friendlyHTML();
```

```
$objGrid -> pathtoimages("afs-demo/database/images/");
```

```
$objGrid -> closeTags(true);
```

```
$objGrid -> form('employee', true);
```

```
/* Defines the "method" through the data will be sent. May be defined as "post" or "get" */
```

```
$objGrid -> methodForm("post");
```

```
/* To totalize columns, simply add each column separated by comma */
```

```
$objGrid -> total("salary,workeddays");
```

```

/* To enable search, add each searchable column separated by comma */
$objGrid -> searchby("id,name,lastname,afiliation");

/* To forward your own parameters, add them in the GET format */
//$objGrid ->
linkparam("sess=".$_REQUEST["sess"]."&username=".$_REQUEST["username"]);

$objGrid -> decimalDigits(2);

$objGrid -> decimalPoint(",");

/* Connect with the database */
$objGrid -> conectadb($servername, $username, $password, $dbname);

/* Select the table to use */
$objGrid -> tabla ("afs_demo_employees");

$objGrid -> FormatColumn("id", "ID Employee", 5, 5, 1, "50", "center", "integer");
$objGrid -> FormatColumn("name", "Name", 30, 30, 0, "150", "left");
$objGrid -> FormatColumn("lastname", "Last name", 30, 30, 0, "150", "left");
$objGrid -> FormatColumn("age", "Age", 5, 5, 0, "50", "right");
$objGrid -> FormatColumn("afiliation", "Afiliation Date", 10, 10, 0, "100", "center",
"date:dmy:/");
$objGrid -> FormatColumn("status", "Status", 5, 5, 0, "60", "left",
"select:1_Single:2_Married:3_Divorced");
$objGrid -> FormatColumn("active", "Active", 2, 2, 0, "50", "center", "check:No:Yes");
$objGrid -> FormatColumn("salary", "Salary", 10, 10, 0, "90", "right", "money:&euro;");
$objGrid -> FormatColumn("workeddays", "Work days", 5, 2, 0, "50", "center", "integer");

$objGrid -> setHeader();

```

```
?>
```

```
<?php
```

```
    $objGrid -> grid();
```

```
    $objGrid -> desconectar();
```

```
?>
```

- In the '**Advanced**' tab of your HTML object add ALL files where files have been unzipped

Objet de code HTML

Création de la page | AFS-Demo | SQL | DB-1

Code HTML

Avancées

Code CSS

1

Fichiers associés au code HTML

Fichier associé	Chemin d'accès au serveur
1.jpg	afs-demo/database/images/sample
3.jpg	afs-demo/database/images/sample
4.jpg	afs-demo/database/images/sample
6.jpg	afs-demo/database/images/sample
7.jpg	afs-demo/database/images/sample
add.png	afs-demo/database/images

Take care about the path for each file.

Télécharger le fichier associé

Fichier lié à télécharger sur le serveur :

add.png

Chemin d'accès au serveur :

afs-demo/database/images

☐ Créer un lien avec le fichier (fichiers .js et .css seulement)

Le code pour les fichiers .js et .css sera automatiquement ajouté à la section HEAD.

- Do not forget to change DB parameters into db_connect.php file and also code into PHP if you want.

Please investigate code before to do something and understanding..

To have this Displaying & Buttons View

Displaying and buttons !

Simple displaying Displaying and more details Displaying & Pictures Displaying & Skill bars

AF Software Sample page

ID Employee	Name	Last name	Age	Affiliation Date	Status	Active	Salary	Work days	
4	Vanessa	brigman	31	05/11/2000	Single	Yes	€ 6.500,00	30	  
6	William		21	10/03/2001	Divorced	Yes	€ 2.500,00	10	  
3	Michael	Norman	19	10/01/2007	Single	Yes	€ 1.200,00	5	  
							€ 10.200,00	45	  

Displaying rows 1 to 3 of 3

- Create a new page
- Change the page extension to PHP like:

Extension du fichier créé :

Paramètres Plan du site

☒ Ajouter cette page au plan du site

Priorité des contenus :

Fréquence de mise à jour :

Add a HTML object and add this code into HTML tab

```
<?php /*
```

Copyright (c) 2007, Gurú Sistemas and/or Gustavo Adolfo Arcila Trujillo

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

- * Neither the name of the Gurú Sistemas Intl nor Gustavo Adolfo Arcila Trujillo nor the names of its contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Please remember donating is one way to show your support, copy and paste in your internet browser the following link to make your donation

https://www.paypal.com/cgi-bin/webscr?cmd=_xclick&business=tavoarcila%40gmail%2ecom&item_name=phpMyDataGrid%202007&no_shipping=0&no_note=1&tax=0¤cy_code=USD&lc=US&bn=PP%2dDonationsBF&charset=UTF%2d8

For more info, samples, tips, screenshots, help, contact, forum, please visit phpMyDataGrid site

<http://www.gurusistemas.com/indexdatagrid.php>

For contact author: tavoarcila at gmail dot com or info at gurusistemas dot com

```
*/ ?>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
```

```
<title>phpMyDatagrid - Sample file</title>
```

```
<?php
```

```
include ("afs-demo/database/phpmydatagrid.class.php");
```

```
include ("afs-demo/dbconnection.php");
```

```
$objGrid = new datagrid;
```

```
$objGrid -> friendlyHTML();
```

```
$objGrid -> pathtoimages("afs-demo/database/images/");
```

```
$objGrid -> closeTags(true);
```

```
$objGrid -> form('employee', true);
```

```
$objGrid -> methodForm("post");
```

```
$objGrid -> total("salary,workeddays");
```

```
$objGrid -> searchby("id,name,lastname,afiliation");
```

```
// $objGrid ->
```

```
linkparam("sess=".$_REQUEST["sess"]."&username=".$_REQUEST["username"]);
```

```
$objGrid -> decimalDigits(2);
```

```
$objGrid -> decimalPoint(",");
```

```
/* Connect with the database */
```

```
$objGrid -> conectadb($servername, $username, $password, $dbname);
```

```
/* Select the table to use */
```

```
$objGrid -> tabla ("afs_demo_employees");
```

```
/* Allow Add, edit, delete or view records */
```

```
$objGrid -> buttons(true,true,true,true);
```

```
/* Keyfield must be defined to indentify each row */
```

```
$objGrid -> keyfield("id");
```

```
/* A code is related with some transactions. so is very difficult to someone to try to do  
unauthorized process */
```

```
/* There are a internal code but you can made it strong by setting this function" */
```

```
$objGrid -> salt("Some Code4Stronger(Protection)");
```

```
$objGrid -> TituloGrid("AF Software Sample page");
```

```
// $objGrid -> FooterGrid("<div style='float:left'>&copy; 2007 Gurusistemas.com</div>");
```

```
$objGrid -> datarows(5);
```

```
$objGrid -> paginationmode('links');
```

```
$objGrid -> orderby("age", "DESC");
```

```

$objGrid -> noorderarrows();

$objGrid -> FormatColumn("id", "ID Employee", 5, 5, 1, "50", "center", "integer");
$objGrid -> FormatColumn("name", "Name", 30, 30, 0, "150", "left");
$objGrid -> FormatColumn("lastname", "Last name", 30, 30, 0, "150", "left");
$objGrid -> FormatColumn("age", "Age", 5, 5, 0, "50", "right");
$objGrid -> FormatColumn("afiliation", "Afiliation Date", 10, 10, 0, "100", "center",
"date:dmy:("/);
$objGrid -> FormatColumn("status", "Status", 5, 5, 0, "60", "left",
"select:1_Single:2_Married:3_Divorced");
$objGrid -> FormatColumn("active", "Active", 2, 2, 0,"50", "center", "check:No:Yes");
$objGrid -> FormatColumn("salary", "Salary", 10, 10, 0, "90", "right", "money:&euro;");
$objGrid -> FormatColumn("workeddays", "Work days", 5, 2, 0, "50", "right", "integer");

$objGrid -> where ("active = '1'");

$objGrid -> setHeader();

?>

<html>

<div>

<form>

<br><br><br><br><br><br>

<td>

<?php

    $objGrid -> grid();

    $objGrid -> desconectar();

?>

</td>

</form>

```

</div>

</html>

- In the '**Advanced**' tab of your HTML object add ALL files where files have been unzipped

Objet de code HTML

Création de la page | AFS-Demo | SQL | DB-1

Code HTML

Avancées

Code CSS

1

Fichiers associés au code HTML

Fichier associé	Chemin d'accès au serveur
1.jpg	afs-demo/database/images/sample
3.jpg	afs-demo/database/images/sample
4.jpg	afs-demo/database/images/sample
6.jpg	afs-demo/database/images/sample
7.jpg	afs-demo/database/images/sample
add.png	afs-demo/database/images

Take care about the path for each file.

Télécharger le fichier associé

Fichier lié à télécharger sur le serveur :

add.png

Chemin d'accès au serveur :

afs-demo/database/images

☐ Créer un lien avec le fichier (fichiers .js et .css seulement)

Le code pour les fichiers .js et .css sera automatiquement ajouté à la section HEAD.

- Do not forget to change DB parameters into db_connect.php file and also code into PHP if you want.

Please investigate code before to do something and understanding..

To have this Displaying & Pictures View

Displaying and pictures !

Simple displaying
Displaying and more details
Title & Buttons
Displaying & Skill bars

ID Employee	Name	Last name	Age	Affiliation Date	Status	Active	Salary	Work days	Value Days	Photo	Img
4	Vanessa	brigman	31	05/11/2000	Single	Yes	6.500,00	30	6.500,00		
6	William		21	10/03/2001	Divorced	Yes	2.500,00	10	833.33		
3	Michael	Norman	19	10/01/2007	Single	Yes	1.200,00	5	200.00		
							10.200,00	45			

Displaying rows 1 to 3 of 3

www.afsoftware.fr

- Create a new page
- Change the page extension to PHP like:

Extension du fichier créé : php

[Paramètres Plan du site](#)

☒ Ajouter cette page au plan du site

Priorité des contenus : 5 - Moyenne

Fréquence de mise à jour : Une fois par mois

Add a HTML object and add this code into HTML tab

```
<?php /*
```

Copyright (c) 2007, Gurú Sistemas and/or Gustavo Adolfo Arcila Trujillo

All rights reserved.

www.gurusistemas.com

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

- * Neither the name of the Gurú Sistemas Intl nor Gustavo Adolfo Arcila Trujillo nor the names of its contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Please remember donating is one way to show your support, copy and paste in your internet browser the following link to make your donation

https://www.paypal.com/cgi-bin/webscr?cmd=_xclick&business=tavoarcila%40gmail%2ecom&item_name=phpMyDataGrid%202007&no_shipping=0&no_note=1&tax=0¤cy_code=USD&lc=US&bn=PP%2dDonationsBF&charset=UTF%2d8

For more info, samples, tips, screenshots, help, contact, forum, please visit [phpMyDataGrid](http://phpMyDataGrid.com) site

<http://www.gurusistemas.com/indexdatagrid.php>

For contact author: tavoarcila at gmail dot com or info at gurusistemas dot com

*/ ?>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />

<title>phpMyDatagrid - Sample file</title>

<?php

```
include ("afs-demo/database/phpmydatagrid.class.php");
```

```
include ("afs-demo/dbconnection.php");
```

```
$objGrid = new datagrid;
```

```
$objGrid -> friendlyHTML();
```

```
$objGrid -> pathtoimages("afs-demo/database/images/");
```

```
$objGrid -> closeTags(true);
```

```
$objGrid -> form('employee', true);
```

```
$objGrid -> methodForm("post");
```

```
$objGrid -> total("salary,workeddays");
```

```
$objGrid -> searchby("id,name,lastname,afiliation");
```

```
//      $objGrid ->
```

```
linkparam("sess=".$_REQUEST["sess"]."&username=".$_REQUEST["username"]);
```

```

$objGrid -> decimalDigits(2);

$objGrid -> decimalPoint(",");

/* Connect with the database */
$objGrid -> conectadb($servername, $username, $password, $dbname);

/* Select the table to use */
$objGrid -> tabla ("afs_demo_employees");

$objGrid -> buttons(true,true,true,true);

$objGrid -> keyfield("id");

$objGrid -> salt("Some Code4Stronger(Protection)");

$objGrid -> TituloGrid("AF Software Sample page");

// $objGrid -> FooterGrid("<div style='float:left'>&copy; 2007 Gurusistemas.com</div>");

$objGrid -> datarows(5);

$objGrid -> paginationmode('links');

$objGrid -> orderby("age", "DESC");

$objGrid -> noorderarrows();

$objGrid -> FormatColumn("id", "ID Employee", 5, 5, 1, "50", "center", "integer");

```

```

$objGrid -> FormatColumn("name", "Name", 30, 30, 0, "150", "left");

$objGrid -> FormatColumn("lastname", "Last name", 30, 30, 0, "150", "left");

$objGrid -> FormatColumn("age", "Age", 5, 5, 0, "50", "right");

$objGrid -> FormatColumn("afiliation", "Afiliation Date", 10, 10, 0, "100", "center",
"date:dmy:("/);

$objGrid -> FormatColumn("status", "Status", 5, 5, 0, "60", "left",
"select:1_Single:2_Married:3_Divorced");

$objGrid -> FormatColumn("active", "Active", 2, 2, 0,"50", "center", "check:No:Yes");

$objGrid -> FormatColumn("salary", "Salary", 10, 10, 0, "90", "right", "2");

$objGrid -> FormatColumn("workeddays", "Work days", 5, 2, 0, "50", "right", "integer");

$objGrid -> FormatColumn("calc_1", "Value Days", "10", "10",
"3", "70", "right", "calc:((salary/30)*workeddays)");

/* Dynamic image: Displaying an image with a value stored in a field */

/* Note: The %s will be replaced by the selected field, in this example by photo field */

$objGrid -> FormatColumn("photo", "Photo", "25", "0", "0", "150", "center", "image:afs-
demo/database/images/sample/%s");

/* Static image: Displaying an image with an unique name */

/* Note: inputtype must be set to 3 */

$objGrid -> FormatColumn("image_1", "Img", "25", "0", "3", "20", "center", "image:afs-
demo/database/images/sample/money.png");

$objGrid -> where ("active = '1'");

$objGrid -> setHeader();

?>

<?php

$objGrid -> ajax("silent");

$objGrid -> grid();

```

```
$objGrid -> desconectar();
```

```
?>
```

- In the '**Advanced**' tab of your HTML object add ALL files where files have been unzipped

Objet de code HTML

Création de la page | AFS-Demo | SQL | DB-1

Code HTML

Avancées

Code CSS

1

Fichiers associés au code HTML

| Fichier associé | Chemin d'accès au serveur |
|-----------------|---------------------------------|
| 1.jpg | afs-demo/database/images/sample |
| 3.jpg | afs-demo/database/images/sample |
| 4.jpg | afs-demo/database/images/sample |
| 6.jpg | afs-demo/database/images/sample |
| 7.jpg | afs-demo/database/images/sample |
| add.png | afs-demo/database/images |

Take care about the path for each file.

Télécharger le fichier associé

Fichier lié à télécharger sur le serveur :

add.png

Chemin d'accès au serveur :

afs-demo/database/images

☐ Créer un lien avec le fichier (fichiers .js et .css seulement)

Le code pour les fichiers .js et .css sera automatiquement ajouté à la section HEAD.

- Do not forget to change DB parameters into db_connect.php file and also code into PHP if you want.

Please investigate code before to do something and understanding..

To have this Displaying & Skill Bars View

Displaying and skill bar !

Simple displaying Displaying and more details Title & Buttons Displaying & Pictures

AF Software Sample page

| ID Employee | Name | Last name | Age - | Afiliation Date | Status | Active | Salary | Work days | |
|-------------|---------|-----------|-------|-----------------|----------|--------|-----------|-----------|---|
| 4 | Vanessa | brigman | 31 | 05/11/2000 | Single | Yes | 6.500,00 | 96.77% |    |
| 6 | William | | 21 | 10/03/2001 | Divorced | Yes | 2.500,00 | 32.26% |    |
| 3 | Michael | Norman | 19 | 10/01/2007 | Single | Yes | 1.200,00 | 16.13% |    |
| | | | | | | | 10.200,00 | 45 |    |

Displaying rows 1 to 3 of 3

www.afsoftware.fr

- Create a new page
- Change the page extension to PHP like:

Extension du fichier créé :

Paramètres Plan du site

☒ Ajouter cette page au plan du site

Priorité des contenus :

Fréquence de mise à jour :

Add a HTML object and add this code into HTML tab

```
<?php /*
```

Copyright (c) 2007, Gurú Sistemas and/or Gustavo Adolfo Arcila Trujillo

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

- * Neither the name of the Gurú Sistemas Intl nor Gustavo Adolfo Arcila Trujillo nor the names of its contributors may be used to

endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE

OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Please remember donating is one way to show your support, copy and paste in your internet browser the following link to make your donation

https://www.paypal.com/cgi-bin/webscr?cmd=_xclick&business=tavoarcila%40gmail%2ecom&item_name=phpMyDataGrid%202007&no_shipping=0&no_note=1&tax=0¤cy_code=USD&lc=US&bn=PP%2dDonationsBF&charset=UTF%2d8

For more info, samples, tips, screenshots, help, contact, forum, please visit phpMyDataGrid site

<http://www.gurusistemas.com/indexdatagrid.php>

For contact author: tavoarcila at gmail dot com or info at gurusistemas dot com

```
*/ ?>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
```

```
<title>phpMyDatagrid - Sample file</title>
```

```
<?php
```

```
include ("afs-demo/database/phpmydatagrid.class.php");
```

```
include ("afs-demo/dbconnection.php");
```

```
$objGrid = new datagrid;
```

```
$objGrid -> friendlyHTML();
```

```
$objGrid -> pathtoimages("afs-demo/database/images/");
```

```
$objGrid -> closeTags(true);
```

```
$objGrid -> form('employee', true);
```

```
$objGrid -> methodForm("post");
```

```
$objGrid -> total("salary,workeddays");
```

```
$objGrid -> searchby("id,name,lastname,afiliation");
```

```
// $objGrid ->  
linkparam("sess=".$_REQUEST["sess"]."&username=".$_REQUEST["username"]);
```

```
$objGrid -> decimalDigits(2);
```

```
$objGrid -> decimalPoint(",");
```

```
/* Connect with the database */
```

```
$objGrid -> conectadb($servername, $username, $password, $dbname);
```

```
/* Select the table to use */
```

```
$objGrid -> tabla ("afs_demo_employees");
```

```
$objGrid -> buttons(true,true,true,true);
```

```
$objGrid -> keyfield("id");
```

```
$objGrid -> salt("Some Code4Stronger(Protection)");
```

```
$objGrid -> TituloGrid("AF Software Sample page");
```

```
// $objGrid -> FooterGrid("<div style='float:left'>&copy; 2007 Gurusistemas.com</div>");
```

```
$objGrid -> datarows(5);
```

```
$objGrid -> paginationmode('links');
```

```
$objGrid -> orderby("age", "DESC");
```

```
$objGrid -> noorderarrows();
```

```
$objGrid -> FormatColumn("id", "ID Employee", 5, 5, 1, "50", "center", "integer");
```

```

$objGrid -> FormatColumn("name", "Name", 30, 30, 0, "150", "left");

$objGrid -> FormatColumn("lastname", "Last name", 30, 30, 0, "150", "left");

$objGrid -> FormatColumn("age", "Age", 5, 5, 0, "50", "right");

$objGrid -> FormatColumn("afiliation", "Afiliation Date", 10, 10, 0, "100", "center",
"date:dmy:");

$objGrid -> FormatColumn("status", "Status", 5, 5, 0, "60", "left",
"select:1_Single:2_Married:3_Divorced");

$objGrid -> FormatColumn("active", "Active", 2, 2, 0, "50", "center", "check:No:Yes");

$objGrid -> FormatColumn("salary", "Salary", 10, 10, 0, "90", "right", "2");

/* Show a bar chart based on a pre-defined value */

$objGrid -> FormatColumn("workeddays", "Work days", "10", "10",
"5", "100", "left", "chart:percent:val:31");

$objGrid -> where ("active = '1'");

$objGrid -> setHeader();

?>

<?php

$objGrid -> ajax("silent");

$objGrid -> grid();

$objGrid -> desconectar();

?>

```

- In the '**Advanced**' tab of your HTML object add ALL files where files have been unzipped

Objet de code HTML

Création de la page | AFS-Demo | SQL | DB-1

Code HTML

Avancées

Code CSS

1

Fichiers associés au code HTML

Fichier associé	Chemin d'accès au serveur
1.jpg	afs-demo/database/images/sample
3.jpg	afs-demo/database/images/sample
4.jpg	afs-demo/database/images/sample
6.jpg	afs-demo/database/images/sample
7.jpg	afs-demo/database/images/sample
add.png	afs-demo/database/images

Take care about the path for each file.

Télécharger le fichier associé

Fichier lié à télécharger sur le serveur :

add.png

Chemin d'accès au serveur :

afs-demo/database/images

☐ Créer un lien avec le fichier (fichiers .js et .css seulement)

Le code pour les fichiers .js et .css sera automatiquement ajouté à la section HEAD.

- Do not forget to change DB parameters into db_connect.php file and also code into PHP if you want.

Please investigate code before to do something and understanding..