



How to use the plugin "Private Access Page" v2020.1

1.	Before to start.....	2
2.	Plugin content	2
3.	Copyright et property	3
4.	Compatibility.....	3
5.	Maintenance and support.....	3
6.	How to run it.....	3
7.	How to get a trial license key ?.....	4
8.	How to install a full license key ?	5
9.	How to configure your personal information	6
10.	How to configure your language :.....	6
11.	How to test the plugin without Website X5	6
12.	How to configure the private codes into afs_codes.txt file.....	9
13.	How to configure the plugin with Website X5	11
	• Configuration via Popup Window usage	11
	• Configuration via iFrame usage	18
14.	How to force the transfer again of modified files after first transfer.....	24
15.	How to protect any page from my project	26



1. Before to start

Before to start and to run the plugin you need to have all following files ready:

- All files explained below unzipped
- Licence file provides by AF Software.
- Your prWebsite project running

You cannot start the plugin without these files !

2. Plugin content

This plugin can improve your project to offer to you new features not provided by Website X5 software.

Unzip the files into a personal directory under the root of your website. By example uncompress files into **afs-demo/access-page** directory

After decompression you will get following files:

images	--> Images used by the plugin
afs_alertbox.php	--> Internal file for error messages
afs_check.php	--> PHP file to check authentication
afs_codes.txt	--> file to configure your private codes
afs_config.php	--> Configuration file
afs_function.js	--> Internal file
afs_functions.php	--> Internal file
afs_kill_session.php	--> Tool to destroy variable session used by plugin
afs_loginpage.php	--> File used to display authentication page
afs_mypage.php	--> Page example to display after authentication

If the plugin has some messages inside, the following files are present too:

afs_messages.php	--> default messages file for the plugin
afs_messages fr.php	--> french messages for the plugin
afs_messages us.php	--> english messages for the plugin

Do not change the name files. The plugin needs these names

This plugin has been tested with **WSX5 Pro v2019.3.14**

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



Please read carefully this documentation to understand how it works and how to install it

3. Copyright et property

This plugin has been developed by AF Software to bring more feature to your website project or other website solution.

All files are the property of AF Software

It's forbidden to translate them, uncompile, change them. It's also forbidden to remove or modify your license number or to distribute it to others. You have no right to lend or to sale the software.

It is really forbidden to extract any information from the software completely or partially (copy, re-copy, printing, pictures, videos, scanning ..etc..) to reproduce any part of the software. The complete content is protected by the intellectual property law by article L335-2.

If you try to do anything of this, your rights will be automatically removed and the author can do an action with the justice.

You can just copy the software to have a backup of files.

This software can run only on one physical PC at each time.

4. Compatibility

This plugin has been tested with:

- **Website PRO v2019.3.14**
- **PHP 7.2.7**

5. Maintenance and support

AF Software will provide the best for you in terms of support / maintenance for the plugin. All effort are done in best effort. No guarantee to fix an issue in a few delay is promised.

You have the full trial period to test the plugin and to detect any issues before to do a donation to get a full license.

In any case AF Software is a professional company, and all efforts will be done to help in the future.

6. How to run it

This plugin can run into 2 different ways into Website. With an external popup window or with an iframe.

- With an external popup window

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



- With an iframe.

Please check the documentation below to understand how to configure these two modes.

7. How to get a trial license key ?

To run correctly this plugin you need to have a license file provides by AF Software. The trial key is fully free and you can generate it yourself directly from AF software website.

You can generate yourself your evaluation key when you are ready to test it into your environment. The period for the trial key is about 30 days by default and the starting date will be up when you will generate your key.

Before to generate your key on AF Software website, please ask to AF Software a private code to have an access to the key generator. Contact us by email to get your private code.

After reception of you private code you can go to the next URL:

https://www.afsoftware.fr/afs_keygen/afs_intro.php

to have an access to the key generator

The key generator welcome page if like:



Welcome to AF Software Keygen Generator

Please give your private code to have an access !

www.afsoftware.fr

(c) 2014-2019

To follow recommendations on the screen to generate your evaluation key.

After key generation, do not forget to **rename your downloaded key** by **afs_licence.key** file with no zip extension.

**IT IS NOT NECESSARY TO UNZIP THE FILE
IT DOES NOT WORKS
JUST RENAME IT LIKE EXPLAIN BEFORE**

When your license key is ready you just need to copy it in the previous directory like into our example into **afs-demos/access-page/**

8. How to install a full license key ?

When you will receive you full license key file, just replace the file **afs_licence.key** into your working directory by the new one and also the new **afs_loginpage.php** received.

Check the chapter "**How to configure the plugin with Website X5**" to understand how to put these files into your plugin directory.

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



9. How to configure your personal information

You need to edit **afs_config.php** file to configure your personal parameters (font name, color, size, personal logo...). Check this file, all comments are inside it.

10. How to configure your language :

2 default language files (**afs_messages fr.php** & **afs_afs_messages us.php**) are provided by default. The english language is used by default by the plugin.

To create you personal messages with your language you need to copy one of example and to edit the variables with your language.

When done, you **can copy & replace** these variables into the **afs_messages.php** file which is the used file by default.

This file is used for all messages displayed into the user interface.

Just the system messages are staying in english for the administrator. Normally an user do not see them.

11. How to test the plugin without Website X5

You can test directly the plugin without Website to understand well how the plugin is running.

To do that you can call directly the `afs_loginpage.php` directly from your browser like:

`https://www.yourdomain.com/test/access-page/afs_loginpage.php`

The next windows will be displayed to do the authentication.



Welcome to AFS Access Page

Please give your private code to have an access !


Powered by my company name

www.afsoftware.fr

(c) 2014-2019 - v5.0

We suggest to configure some different options into afs_config.php file to really understand how the plugin works before the Website integration.

If you leave the default next page into afs_config.php file, after a successful authentication you will display the next page.



Acces Code OK

www.afsoftware.fr



12. How to configure the private codes into afs_codes.txt file

This part is very important to run correctly. Please take time to understand it. The afs_codes.txt file is the file where all private codes are provided by the admin of the website. This file is unknown from users.

You can have an unlimited number of private codes into this file.

This file needs to be present into same directory where others php plugin files are.

The content of this file is like:

```
13/12/2018,123,*22*, $0$,  
15/12/2019,567,*2*, $2$,  
13/12/2018,1234,*10000*, $0$,  
10/12/2019,HDH\D_keK9,*5*, $0$,  
13/12/2018,12345,*4*, $4$,
```

**All parameters are separated by a comma and the last character of the line
NEEDS TO BE A COMMA**

Parameters are following

- Creation date
- Access code
- Number of authorized connection between 2 * characters
- Number of already done connection between 2 \$ characters

Creation date:	Just a reminder for you: format dd/mm/yyyy
Access code:	Uppercase letter, number (no foreign characters)
Authorized connection	Number above 0 between 2 \$ for the maximum
Connections already done default	Number of already done connection between 2 \$ characters. 0 by default

Connection done parameter needs to be at zero from first configuration. The plugin will modify this one after each successful connection.

Below by example explanation for:

Line 1: **13/12/2018,123,*22*, \$0\$,**

13/12/2019	Creation date of the user (for reminding)
123	Access code

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



22 Number of authorized connections : Here 22
\$0\$ Number of already done connections : Here none connection done

Line 2: **15/12/2019,567,*2*, \$2\$,**

15/12/2019 Creation date of the user (for reminding)
567 Access code
2 Number of authorized connections : Here 2
\$2\$ Number of already done connections : Here 2

This private is blocked and no more connection are authorized. You can manually reset the connections parameters to permit again some access or not.

Line 3: **13/12/2018,1234,*10000*, \$0\$,**

13/12/2019 Creation date of the user (for reminding)
1234 Access code
10000 Number of authorized connections : Here 10000 like unlimited !
\$0\$ Number of already done connections : Here 0

To put a high value into authorized connection to have like an unlimited connection.



13. How to configure the plugin with Website X5

Into your project directory you need to create a personal directory. In our case we have created **afs-demo/access-page**


So here you need to unzip all files into this directory: **afs-demo/access-page**

Obviously, you can choose other directory and sub-directory names

- **Configuration via Popup Window usage**


Unzip the files into a personal directory under the root of your website. By example uncompress files into **afs-demo/access-page** directory

In your project you need to create a **page** like below




Here we suggest to hide this page from your website.

Go back to your pages plan and open your page and add an HTML object



Click on HTML object and add following code.



Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>




The code is here:

```
<script type="text/javascript">
  <!--
    function open_infos()
    {
      width = 600;
      height = 800;
      if(window.innerWidth)
      {
        var left = (window.innerWidth-width)/2;
        var top = (window.innerHeight-height)/2;
      }
      else
      {
        var left = (document.body.clientWidth-width)/2;
        var top = (document.body.clientHeight-height)/2;
      }
      window.open('afs-demo/access-
page/afs_loginpage.php','nom_de_ma_popup','menubar=no, scrollbars=no, top='+top+',
left='+left+', width='+width+', height='+height+');
    }
  -->
</script>

<a href="#null" onclick="javascript:open_infos();">Opening Private Access Page via a HTML
pop-up </a>
```


Now you need also to add all unzipped files from the plugin to your project to upload them during a web export

To add all files into your project you need to click on 'advanced' tab in your HTML object like here:




Add all plugin files here.
Do not forget to add your afs_licence.key file

After web export you can have an access to your login page to put your private code like below.



By clicking on the link, the main windows is opening.

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)
<http://www.afsoftware.fr>




Let's go....

If you leave the default next page into afs_config.php file, after a successful authentication you will display the next page.

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



Acces Code OK

www.afsoftware.fr



- **Configuration via iFrame usage**

Unzip the files into a personal directory under the root of your website. By example uncompress files into **afs-demo/access-page** directory


In your project you need to create a **page** like below

Plan du site	Titre de la page	Description
AFS-Demo		
Others		
Animations		
JS, JQuery		
SQL		
Plugins		
User Profile		WSX5 dem
Users Management		WSX5 dem
Message		WSX5 dem
listing		WSX5 dem
DL via iframe		WSX5 dem
DL via windows		WSX5 dem
neon		WSX5 dem
Discount Sales		WSX5 dem
Customer Feedback		WSX5 dem
Fictives Sales		WSX5 dem
Article Management Admin		
Article Management Users		
Mypage2		
access-page via popup		
access-page via iframe		
Pages spéciales		
Accès réservé		WSX5 dem


Here we suggest to hide this page from your website.



Go back to your pages plan and open your page and add an HTML object



Click on HTML object and add following code.




The code is here:

```
<iframe name="AFS_access" height="100%" width=100%" src="afs-demo/access-  
page/afs_loginpage.php">  
</iframe>
```

Now you need also to add all unzipped files from the plugin to your project to upload them during a web export

To add all files into your project you need to click on 'advanced' tab in your HTML object like here:



Add all plugin files here.
Do not forget to add your afs_licence.key file

After web export you can have an access to your login page to put your private code like below directly in the same page of your web.



re (Not responsive) - Developed with Pro v2019.3.14  0

ware.fr Home Updates Boutik MyAccount




Welcome to AFS Access Page

Please give your private code to have an access !

Powered by my company name

Let's go....

If you leave the default next page into afs_config.php file, after a successful authentication you will display the next page.



Acces Code OK


www.afsoftware.fr




14. How to force the transfer again of modified files after first transfer

If you change any parameters into any files from the installation directory (here afs-demo/access-page) it's **IMPORTANT to reactivate files transfer** into your project.

To force again the files to be transferred you need to **open your** HTML objet and to click on 'Advanced' tab



And **click on each modified file** to **force the next transfer** to the website



By this action **the files will be transferred again** to the website after your modification into the installation directory



15. How to protect any page from my project

With this plugin you can protect any page into your project.

The protection to display a page is base on PHP security with global session variable. This variable cannot be displayed for security reason.


So to resume, if the session variable is initialized correctly the page can be displayed, in other case the page cannot be displayed.

We provide a default **afs_mypage.php** with the plugin and we can test this mecanism to understand well how it's works.

Before to start you need to destroy this session variable... So to be sure we will do. So you need to call the following URL into your browser.

https://yourdomain.com/afs-demo/accesspage/afs_kill_session.php

You will get the following message.



So now you can call the test page directly with your browser. Do not use the authentication process.

https://yourdomain.com/afs-demo/accesspage/afs_mypage.php

You will get the following message because you have not been authenticated. The page is protected !






Now, if you try to be authenticated the afs_mypage.php will be displayed normally !

Ok, you have understood how a page is protected. So any page needs to check if the session variable is ok or not .

To protect any page into your project, it's **MANDATORY** to configure your page with **PHP extension** like below.



Again here we suggest to hide the page.

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



By clicking on the properties button you can configure the PHP extension here

The screenshot shows the 'WebSite X5 pro' interface. On the left, a sidebar contains a list of steps: 'Choix du projet', '1 Paramètres', '2 Modèle', '3 Plan', '4 Pages', and '5 Exporter'. The '3 Plan' step is highlighted with a red box. A red arrow points from this box to the 'Propriétés de la page' dialog box. The dialog box has a title bar 'Propriétés de la page' and a breadcrumb 'Création du plan > AF5-Demo > Plugins > Mypage2'. Below the breadcrumb are three tabs: 'SEO', 'Graphiques', and 'Avancées'. The 'Avancées' tab is selected and highlighted with a red box. A red arrow points from the 'Avancées' tab to the 'Extension du fichier créé' dropdown menu, which is set to 'php' and also highlighted with a red box. The dialog box also shows a 'Code personnalisé' section with a text area for code before the closing head tag, and a 'Paramètres Plan du site' section with a checked box 'Ajouter cette page au plan du site' and two dropdown menus for 'Priorité des contenus' (set to '5 - Moyenne') and 'Fréquence de mise à jour' (set to 'Une fois par mois').

Now you need to configure your page to check the secure session variable before loading. To do that you need to add this code **before the HTML tag** opening like below



Propriétés de la page

Création du plan > AFS-Demo | Plugins | Mypage2

SEO Graphiques **Avancées**

Code personnalisé :

Avant la balise d'ouverture <HTML>

```
1 <?php
2
3 session_start();
4
5 include("afs-demo/access-page/afs_alertbox.php");
6
7
8 /* Accès à la page refusé car pas initialisation de la session */
9 if (empty($_SESSION['AFS_Protect'])) {
10     echo "<script type= 'text/javascript'>afs_key_bad_code();</script>";
11     exit;
12 }
13
14 ?>
```

Extension du fichier créé : php

Paramètres Plan du site

☒ Ajouter cette page au plan du site

Priorité des contenus : 5 - Moyenne

Fréquence de mise à jour : Une fois par mois

Full script is here

```
<?php
```

```
session_start();
```

```
include("afs-demo/access-page/afs_alertbox.php");
```

```
/* Accès à la page refusé car pas initialisation de la session */
if (empty($_SESSION['AFS_Protect'])) {
    echo "<script type= 'text/javascript'>afs_key_bad_code();</script>";
    exit;
}
```

Tout droits de reproduction et diffusion réservés (AF Software™ est une marque déposée)

<http://www.afsoftware.fr>



?>

Nota:

take care about the path into this line:

```
include("afs-demo/access-page/afs_alertbox.php");
```

Change it if yours is not afs-demo/access-page